

ARMASAFE™ plus



Quite Possibly the World's Best Battery for Combat and Tactical Vehicles




- High starting power
- Long shelf life
- Maintenance free
- Longer life
- Highly Recyclable¹
- Lower life-cycle cost²
- Deep reserve capacity
- Air transportable

NSN 6140-01-485-1472
P/N 9750N7025

Qualified/tested to: **MIL-PRF-32143**

COMPARISON OF BATTERY SPECIFICATIONS

ARMASAFE™ plus /6TAGM	ORDINARY MILITARY LEAD CALCIUM BATTERIES/6TMF
<ul style="list-style-type: none"> • 12 Volts • CCA - 1225 • Reserve capacity - 240 mins • Capacity - 120 Ah C₂₀ • Usable reserve - 70% DoD • Shelf life - 24 months @ 77°F (25°C) • Battery type - lead acid • Technology - VRLA-AGM*, TPPL* • Cycle life - 360 • Life (cradle to grave) - 48-54 months • Internal resistance - 0.0017 Ohms • Transport class - Non-spillable • Weight - 88lbs (40kg) • Size - NATO 6T • Deep cycle life - 120 	<ul style="list-style-type: none"> • 12 Volts • CCA - 725 • Reserve capacity - 200 mins • Capacity - 120 Ah C₂₀ • Usable reserve - 30% DoD • Shelf life - 3 months • Battery type - lead acid • Technology - Flooded, lead calcium • Cycle life - 235 • Life (cradle to grave) - 13 months • Internal resistance - 0.009 Ohms • Transport class - Hazardous • Weight - 75lbs (34kg) • Size - NATO 6T



*VRLA - Valve Regulated Lead Acid
*AGM - Absorbed Glass Mat
*TPPL - Thin Plate Pure Lead




1 - Source: International Lead Association (www.ila-lead.org)
2 - When compared to flooded lead acid batteries





DIMENSIONS



Wherever in the world you do business, EnerSys® is with you all the way. With manufacturing facilities strategically located in Asia, Europe and North America, a strong global sales and support team, and a reputation for world-leading technology, we ensure that our customers will have a reliable supply of high quality products. We are committed to delivering the best solutions for your aerospace and defense needs.



Aerospace & Defense

2366 Bernville Road • Reading, PA 19605, USA • Tel. (610) 208-1991 • Fax (610) 208-1630
www.enersys.com

©2015 EnerSys. All rights reserved. Trademarks and logos are the property of EnerSys and its affiliates unless otherwise noted.
Subject to revisions without prior notice. E.&O.E.
The management systems governing the manufacture of this product are ISO 9001:2008 and ISO 14001:2004 certified.

US-A&D-002 AA 12/15

877.485.1472 • www.hawkeraplus.com